
cisco Meraki



MX FAMILY DATASHEET

# Meraki MX Cloud-Managed Security and SD-WAN

#### **Overview**

The Cisco Meraki MX is a multifunctional security and SD-WAN enterprise appliance with a wide set of capabilities to address multiple use cases—from an all-in-one device. Organizations of all sizes and across all industries rely on the MX to deliver secure connectivity to hub locations or multicloud environments, as well as application quality of experience (QoE), through advanced analytics with machine learning.

The MX is 100% cloud managed, so installation and remote management is truly zero touch, making it ideal for distributed branches, campuses, and data center locations. Natively integrated with a comprehensive suite of secure network and assurance capabilities, the MX eliminates the need for multiple appliances. These capabilities include application-based firewalling, content filtering, web search filtering, SNORT®-based intrusion detection and prevention, Cisco Advanced Malware Protection (AMP), site-to-site Auto VPN, client VPN, WAN and cellular failover, dynamic path selection, web application health, VoIP health, and more. SD-WAN can easily be extended to deliver optimized access to resources in public and private cloud environments with virtual MX (vMX) appliances. Public clouds supported with vMX include Amazon Web Services (AWS), Microsoft Azure, Google Cloud, and Alibaba Cloud, and private cloud support through Cisco NFVIS.

# Advanced quality of experience (QoE) analytics

- Monitor end-to-end health of web applications at a glance across the LAN, WAN, and application server
- Machine-learned smart application thresholds autonomously apply to identify true anomalies based on past behavioral patterns
- Monitor the health of all MX WAN links, including cellular, across your entire organization
- Get detailed hop-by-hop VoIP performance analysis across all uplinks

# Agile on-premises and cloud security capabilities informed by Cisco Talos

- Next-gen layer 7 firewall for identity-based security policies and application management
- Advanced Malware Protection with sandboxing; file reputation-based protection engine powered by Cisco AMP
- Intrusion prevention: PCI-compliant IPS sensor using industry-leading SNORT® signature database from Cisco
- Granular and automatically updated category-based content filtering
- Other capabilities: SSL decryption/inspection, data loss prevention (DLP), cloud access security broker (CASB), SaaS tenant restrictions, granular app control, file type control

# **Branch gateway services**

- Built-in DHCP, NAT, QoS, and VLAN management services
- Web caching: accelerates frequently accessed content
- Load balancing: combines multiple WAN links into a single high-speed interface, with policies for QoS, traffic shaping, and failover
- Smart connection monitoring provides automatic detection of layer 2 and layer 3 outages and fast failover, including the option of integrated LTE Advanced or 3G/4G modems

# Industry-leading cloud management

- Unified firewall, switching, wireless LAN, and mobile device management through an intuitive web-based dashboard
- Template-based settings scale easily from small deployments to tens of thousands of devices
- Role-based administration, configurable email alerts for a variety of important events, and easily auditable change logs
- Summary reports with user, device, and application usage details archived in the cloud

# Intelligent site-to-site VPN with Cisco Meraki SD-WAN


- Auto VPN allows automatic VPN route generation using IKE/IKEv2/IPsec setup; runs on physical MX appliances and as a virtual instance in public and private clouds
- SD-WAN with active/active VPN, policy-based routing, dynamic VPN path selection, and support for application-layer performance profiles to ensure prioritization of application types that matter
- Interoperates with all IPsec VPN devices and services
- Automated MPLS to VPN failover within seconds of a connection failure
- Layer 2 TP IPsec remote client VPN included at no extra cost with support for native Windows, Mac OS X, iPad, and Android clients
- Support for Cisco AnyConnect remote client VPN (AnyConnect license required)

# Mix-and-match Meraki and Cisco Catalyst SD-WAN

- A native and resilient link can easily be established between Meraki and Catalyst SD-WAN to allow the flow of desired traffic—all from the Meraki dashboard
- Choose between Meraki and Catalyst SD-WAN for the best fit across all your disparate location types and streamline management from a single dashboard
- Sites with similar attributes can run the most operationally efficient SD-Branch solution with Meraki MX and locations that demand precise WAN configurations can run the most customizable SD-WAN with Catalyst


#### Inside the Meraki MX

MX450 shown, features vary by model



# Front of the Cisco Meraki MX

MX450 shown, features vary by model



# **Security and SD-WAN**


Security and SD-WAN is delivered by MX appliances. Security and SD-WAN has helped thousands of organizations rapidly save costs by reducing their dependence on MPLS without compromising on performance. As enterprises continue to shift from hub-centric architectures interconnected with VPN to ones that leverage public internet connectivity, SD-WAN powered by Meraki delivers advanced analytics with machine learning (ML) to monitor and optimize quality of experience (QoE) for applications, regardless of where they might be hosted.





## **Transport independence**

Leverage more than one uplink of any type with automatic failover, including MPLS, broadband, fiber, or cellular.




# **Native security**

Integrated with next-gen firewall, content filtering, Advanced Malware Protection (AMP), and IDS/IPS informed by Cisco Talos.

## **Advanced analytics**

Coming soon: at a glance health of web applications with ML thresholds, VoIP, and WAN with predictive analytics.



#### SaaS quality of experience

Manual and performance-based path selection using advanced analytics.

# **Ironclad security**

The MX platform has an extensive suite of security features, including IDS/IPS, content filtering, web search filtering, anti-malware, GeoIP-based firewalling, IPsec VPN connectivity, and Cisco AMP, while providing the performance required for modern, bandwidth-intensive networks.


Layer 7 fingerprinting technology lets administrators identify unwanted content and applications and prevents recreational apps like BitTorrent from wasting precious bandwidth.

The integrated Cisco SNORT® engine delivers superior intrusion prevention coverage, a key requirement for PCI 3.2 compliance. The MX also uses the Webroot BrightCloud® URL categorization database for CIPA/IWF-compliant content filtering, Cisco AMP engine for antimalware, Cisco AMP Threat Grid - Cloud, and MaxMind for GeoIP-based security rules.


Best of all, these industry-leading layer 7 security engines and signatures are always kept up to date via the cloud, simplifying network security management and providing peace of mind to IT administrators.



Organization-level threat assessment with Meraki Security Center








Cisco AMP Thread Grid - Cloud

# **Cloud-managed architecture**


Built on the award-winning cloud architecture of Cisco Meraki, the MX is the industry's only 100% cloud-managed solution for unified threat management (UTM) and SD-WAN in a single appliance. MX appliances self-provision, automatically pulling policies and configuration settings from the cloud. Powerful remote management tools provide network-wide visibility and control and enable administration without the need for on-site networking expertise.

Cloud services deliver seamless firmware and security signature updates, automatically establish site-to-site VPN tunnels, and provide 24×7 network monitoring. Moreover, the MX's intuitive browser-based management interface removes the need for expensive and time-consuming training.

For customers moving IT services to a public cloud service, Meraki offers a virtual MX for use in Amazon Web Services and Microsoft Azure, enabling Auto VPN peering and SD-WAN for dynamic path selection.



Cisco Meraki cloud-management architecture



End-to-end network visibility and troubleshooting

# Integrated 802.11ac Wave 2 wireless

The MX67W, MC68W, and MX68CW integrate award-winning wireless technology from Meraki with powerful MX network security features in a compact form factor ideal for branch offices or small enterprises.

- Dual-band 802.11n/ac Wave 2, 2×2 MU-MIMO with two spatial streams
- Unified management of network security and wireless
- Integrated enterprise security and guest access



MX68CW security and SD-WAN appliance

#### LTE Advanced

The MX67C and MX68CW include a SIM slot and internal LTE modem. This integrated functionality removes the need for external hardware and allows for cellular visibility and configuration within the Meraki dashboard.

- 1× Cat 6 300 Mbps LTE modem
- 1× nano SIM slot (4FF form factor)
- Global coverage with individual orderable SKUs for North America and worldwide



# Power over Ethernet (PoE)

The MX68, MX68W, and MX68CW include two ports with 802.3at (PoE+). This built-in power capability removes the need for additional hardware to power critical branch devices.

- 2× 802.3at (PoE+) ports capable of providing a total of 60 W
- Access points, phones, cameras, and other PoE-enabled devices can be powered without the need for AC adapters, PoE converters, or unmanaged PoE switches




MX68 port configuration

# Meraki virtual MX appliances for public and private clouds

Virtual MX (vMX) is a virtual instance of a Meraki security and SD-WAN appliance dedicated specifically to providing the simple configuration benefits of site-to-site Auto VPN for organizations running or migrating IT services to public or private cloud environments. An Auto VPN tunnel to a vMX is like having a direct Ethernet connection to a private data center.

Features and functionality of the vMX appliance:

- Securely connect branch sites with a physical MX appliance to resources in public cloud environments in three clicks with Auto VPN
- Extend SD-WAN to public cloud environments for optimized access to business-critical resources
- Only a Meraki license is required
- Available in three VPN throughput-based sizes to suit a wide range of use cases: small, medium, large, and x-large



Support for private cloud environments through Cisco NFVIS vMX functions like a VPN concentrator, and includes SD-WAN functionality like other MX devices. For public cloud environments, a vMX is added via the respective public cloud marketplace and for private cloud environments, a vMX can be spun up on a Cisco UCS running NFVIS. Setup and management occurs in the Meraki dashboard, just like any other MX.

# Desktop and all-in-one models

	MX67	MX67W	MX67C
Recommended use case		Small branch with up to 50 users	
NGFW throughput	700.4%	700.11	700.14
Advanced security services throughput <sup>1</sup>	700 Mbps	700 Mbps	700 Mbps
Maximum site-to-site VPN throughput	300 Mbps	300 Mbps	300 Mbps
Maximum site-to- site VPN tunnels <sup>2</sup>	50	50	50
WAN interfaces (dedicated)	1× GbE RJ45	1× GbE RJ45	1× GbE RJ45 1× integrated Cat 6 LTE cellular modem
Dual-purpose	1× GbE RJ45	1× GbE RJ45	1× GbE RJ45
LAN interfaces (fixed)	4× GbE RJ45	4× GbE RJ45	4× GbE RJ45
Mounting	Desktop or wall mount	Desktop or wall mount	Desktop or wall mount
<b>Dimensions</b> (w x d x h)	9.4 in x 5.1 in x 1.1 in (239 mm x 130 mm x 27 mm)	9.4 in x 6.5 in x 1.1 in (239 mm x 164 mm x 27 mm)	9.4 in x 6.9 in x 1.1 in (239 mm x 176 mm x 27 mm)
Weight	1.74 lb (0.7 kg)	1.84 lb (0.83 kg)	1.87 lb (0.85 kg)
Power supply	30 W DC	30 W DC	30 W DC
Power load (idle/max)	5 W/14 W	15 W/23 W	6 W/17 W
Operating temperature	32 °F to 113 °F (0 °C to 45 °C)	32 °F to 113 °F (0 °C to 45 °C)	32 °F to 113 °F (0 °C to 45 °C)
Humidity	5% to 95%	5% to 95%	5% to 95%

<sup>&#</sup>x27;Throughput with advanced security services enabled including IDS/IPS, AMP, and secure malware analytics (formerly Threat Grid) can reach the same levels as that with NGFW using trusted traffic exclusions. Learn more.

<sup>&</sup>lt;sup>2</sup>The maximum VPN tunnels are based on lab testing scenarios where no client traffic is transferring over the VPN tunnels. For information on recommended maximum site-to-site and client VPN tunnels, visit MX Sizing Principles.

# Desktop and all-in-one models

	MX68	MX68W	MX68CW	MX75
Recommended use case	s	mall branch with up to 50 user	rs	Small branch with up to 200 users
NGFW throughput				
Advanced security services throughput <sup>1</sup>	700 Mbps	700 Mbps	700 Mbps	1 Gbps
Maximum site-to-site VPN throughput	300 Mbps	300 Mbps	300 Mbps	900 Mbps
Maximum site-to- site VPN tunnels <sup>2</sup>	50	50	50	75
WAN interfaces (dedicated)	2× GbE RJ45	2× GbE RJ45	2× GbE RJ45  1× integrated Cat 6 LTE cellular modem (cellular failover)	1× GbE SFP 2× GbE RJ45
Dual-purpose	-	-	-	-
LAN interfaces (fixed)	10× GbE RJ45 (2× PoE+)	10× GbE RJ45 (2× PoE+)	10× GbE RJ45 (2× PoE+)	10× GbE RJ45 (2× PoE)
Mounting	Desktop or wall mount	Desktop or wall mount	Desktop or wall mount	Desktop or wall mount
<b>Dimensions</b> (w x d x h)	11.2 in x 5.8 in x 1.1 in (284 mm x 148 mm x 27 mm)	11.2 in x 6.8 in x 1.1 in (284 mm x 172 mm x 27 mm)	11.2 in x 7 in x 1.1 in (284 mm x 178 mm x 27 mm)	11.14 in x 5.83 in x 1.06 in (283 mm x 148 mm x 27 mm)
Weight	2.46 lb (1.12 kg)	2.55 lb (1.16 kg)	2.61 lb (1.18 kg)	1.87 lb (0.85 kg)
Power supply	100 W DC	100 W DC	100 W DC	100 W DC
Power load (idle/max)	11 W/79 W	19 W/87 W	19 W/89 W	12 W/96 W
Operating temperature	32 °F to 113 °F (0 °C to 45 °C)	32 °F to 113 °F (0 °C to 45 °C)	32 °F to 113 °F (0 °C to 45 °C)	32 °F to 113 °F (0 °C to 45 °C)
Humidity	5% to 95%	5% to 95%	5% to 95%	5% to 95%

<sup>&</sup>lt;sup>1</sup>Throughput with advanced security services enabled including IDS/IPS, AMP, and secure malware analytics (formerly Threat Grid) can reach the same levels as that with NGFW using trusted traffic exclusions.  $\underline{\text{Learn more}}.$ 

# Rack mount models

	MX85	MX95
	_ * T * **** * * * * * * * * * * * * * *	-410 ***
Recommended use case	Small to medium branch with up to 250 users	Medium to large branch with up to 500 users
NGFW throughput		
Advanced security services throughput <sup>1</sup>	1 Gbps	2.5 Gbps
Maximum site-to-site VPN throughput	1 Gbps	2.5 Gbps
Maximum site-to- site VPN tunnels <sup>2</sup>	200	500
WAN interfaces (dedicated)	2× GbE SFP 2× GbE RJ45 (1x PoE+)	2× 10 GbE SFP+ 2× 2.5 GbE RJ45 (1x PoE+)
Dual-purpose	-	-
LAN interfaces (fixed)	8× GbE RJ45 2x GbE SFP	4× GbE RJ45 2× 10 GbE SFP+
Mounting	1U rack	1U rack
<b>Dimensions</b> (w x d x h)	19 in x 9.8 in x 1.7 in (484.6 mm x 250 mm x 43.8 mm)	19.08 in x 11.23 in x 1.73 in (484.6 mm x 285.2 mm x 44 mm)
Weight	8.2 lb (3.7 kg)	6.99 lb (3.17 kg)
Power supply	Internal 100-127 V 200-240 V (50/60 Hz)	Internal 100-127 V 200-240 V (50/60 Hz)
Power load (idle/max)	12 W/55 W	42 W/109 W
Operating temperature	32 °F to 104 °F (0 °C to 40 °C)	32 °F to 104 °F (0 °C to 40 °C)
Humidity	5% to 95%	5% to 95%

<sup>&</sup>lt;sup>1</sup>Throughput with advanced security services enabled including IDS/IPS, AMP, and secure malware analytics (formerly Threat Grid) can reach the same levels as that with NGFW using trusted traffic exclusions.  $\underline{\text{Learn more}}.$ 

<sup>&</sup>lt;sup>2</sup>The maximum VPN tunnels are based on lab testing scenarios where no client traffic is transferring over the VPN tunnels. For information on recommended maximum site-to-site and client VPN tunnels, visit MX Sizing Principles.

# Rack mount models

	MX105	MX250	MX450	
			_=1000	
Recommended use case	Large branch with up to 750 users	Campus or VPN concentrator with up to 2,000 users	Campus or VPN concentrator with up to 10,000 users	
NGFW throughput				
Advanced security services throughput <sup>1</sup>	5 Gbps	7.5 Gbps	10 Gbps	
Maximum site-to-site VPN throughput	3 Gbps	3.5 Gbps	4.5 Gbps	
Maximum site-to- site VPN tunnels <sup>2</sup>	1,000	3,000	5,000	
WAN interfaces (dedicated)	2× 10GbE SFP+ 2× 2.5GbE RJ45 1x PoE+	2× 10 GbE SFP+	2× 10 GbE SFP+	
Dual-purpose	-	-	-	
LAN interfaces (fixed)	4× GbE RJ45 2× 10 GbE SFP+	8× GbE RJ45 8× GbE SFP 8× 10 GbE SFP+	8× GbE RJ45 8× GbE SFP 8× 10 GbE SFP+	
Mounting	1U rack	1U rack	1U rack	
<b>Dimensions</b> (w x d x h)	19.08 in x 12.4 in x 1.73 in (484.6 mm x 315 mm x 44 mm)	19 in x 17.3 in x 1.75 in (483 mm x 440 mm x 44 mm)	19 in x 17.3 in x 1.75 in (483 mm x 440 mm x 44 mm)	
Weight	10.74 lb (4.87 kg)) (with two fans and two PSUs)	16 lb (7.3 kg)	16 lb (7.3 kg)	
Power supply	Modular 100-127 V 200-240 V (50/60 Hz) 2× 150 W PSU	Modular 100-220 V 50/60 Hz 2× 250 W PSU	Modular 100-220 V 50/60 Hz 2× 250 W PSU	
Power load (idle/max)	53 W/123 W	105 W/190 W	105 W/190 W	
Operating temperature	32 °F to 104 °F (0 °C to 40 °C)	32 °F to 104 °F (0 °C to 40 °C)	32 °F to 104 °F (0 °C to 40 °C)	
Humidity	5% to 95%	5% to 95%	5% to 95%	

<sup>&#</sup>x27;Throughput with advanced security services enabled including IDS/IPS, AMP, and secure malware analytics (formerly Threat Grid) can reach the same levels as that with NGFW using trusted traffic exclusions. <u>Learn more</u>. MERAKI.COM

# Virtual appliance models

Meraki virtual WAN appliances include a rich set of features to connect branch sites to public and private cloud environments. These features include:

	vMX - Small	vMX - Medium	vMX - Large	vMX - X-Large
Become and done	VMX	VMX	VIVIX	
Recommended use cases	Extend secure SD-WAI	N connectivity from branch sites	s to resources in public and priv	ate cloud environments
Interfaces	Virtual	Virtual	Virtual	Virtual
Supported cloud platforms	AWS Azure Google Cloud Alibaba Cloud Cisco NFVIS	AWS Azure Google Cloud Alibaba Cloud Cisco NFVIS	AWS Azure Google Cloud Alibaba Cloud Cisco NFVIS	AWS
Maximum site-to-site VPN throughput	250 Mbps	500 Mbps	1 Gbps	10 Gbps
Maximum concurrent site-to-site VPN tunnels	50	250	1,000	10,000
Client VPN support	Yes	Yes	Yes	N/A

# Included in the box

Package contents	Model(s)
Mounting kit	MX67, MX67W, MX67C, MX68, MX68W, MX68CW, MX250, MX450
Cat 5 Ethernet cable (2)	MX67, MX67W, MX67C, MX68, MX68W, MX68CW
AC power adapter	MX67, MX67W, MX67C, MX68, MX68W, MX68CW, MX75
Wireless external omni antenna (2)	MX67W, MX68W
150W power supply (2)	MX105
250W power supply (2)	MX250, MX450
System fan (2)	MX105, MX250, MX450
SIM card ejector tool	MX67C, MX68CW
Fixed external wireless and LTE paddle antennas	MX68CW
Removable external LTE paddle antennas	MX67C

# Lifetime warranty with next-day advanced replacement

Meraki MX appliances include a limited lifetime hardware warranty that provides next-day advance hardware replacement. The Meraki simplified software and support licensing model also combines software upgrades, centralized systems management, and phone support under a single, easy-to-understand model.

For complete details, please visit meraki.cisco.com/support.

# Per-device licensing

There are three license tiers for MX appliances to provide you the flexibility to select the one most appropriate for your intended use. Pair your chosen MX appliance(s) with the relevant license for your use case.

	- (* <del>*</del>			E
	SD-WAN Plus		Advanced Security	Enterprise
FEATURE HIGHLIGHTS	Sites with critical SaaS usage		Sites with critical SaaS usage	Fully backhauled environment
Three-click secure SD-WAN connectivity	•		•	•
Layer 7 NGFW	•		•	•
Advanced Malware Protection (AMP)	•	ว์	•	×
Intrusion detection and prevention	•	Talos	•	×
Content filtering	•	-	•	×
Internet outages from ThousandEyes	•	<b>(</b>	×	×
Internet intelligence from ThousandEyes	•		0	×
Smart layer 7 local internet breakout	•		×	×
Performance-based internet routing	•		×	×
ML-powered SD-WAN analytics	•		×	×
Mixed-license environment	•	$\rfloor \stackrel{\longleftarrow}{\hookrightarrow}$	•	×

A full list of features by license type is available <a href="here">here</a>.

## Mixed-license environments

The SD-WAN Plus and Advanced Security licenses can be selected on a per-device basis for a mixedlicense deployment. In this way, some sites could have MXs with full SD-WAN Plus license functionality and remaining sites with Advanced Security license features. Enterprise licenses can only be applied organization-wide.

# **Subscription licensing**

Meraki subscription licensing offers a simple, flexible, and hardware-agnostic purchasing model for Meraki products. MX appliance subscriptions are available for any term length starting from 1 year up to 10 years. More information including MX subscription types and SKU list can be found here.

General information on subscription licensing can be found here.

#### **Accessories**

The Meraki MX250 and MX450 models support pluggable optics for high-speed backbone connections between wiring closets or to aggregation switches. Meraki offers several standards-based Gigabit and 10 Gigabit pluggable modules. Each appliance has also been tested for compatibility with several third-party modules.







#### **Accessories/SFP transceivers**

Supported Cisco Meraki accessory modules

Model	Description
MA-SFP-1GB-SX	Cisco Meraki 1 GbE SFP SX Fiber Module (1000BASE-SX, range: 550 m) for MX75, MX85, MX95, MX105, MX250, MX450
MA-SFP-1GB-TX	Cisco Meraki 1 GbE RJ45 Copper Module (1000BASE-T for twisted pair) for MX75, MX85, MX95, MX105, MX250, MX450
MA-SFP-10GB-SR	Cisco Meraki 10 GbE Twinax Cable with SFP+ Connectors (10GSFP+Cu, range: 1 m) for MX95, MX105, MX250, MX450
MA-CBL-TA-1M	Cisco Meraki 10 GbE Twinax Cable with SFP+ Connectors (10GSFP+Cu, range: 3 m) for MX95, MX105, MX250, MX450
MA-CBL-TA-3M	Cisco Meraki 10 GbE Twinax Cable with SFP+ Connectors (10GSFP+Cu, range: 3m) for MX95, MX105, MX250, MX450
MA-PWR-30WAC	Replacement Power Adapter (30W) for MX67, MX67W, MX67C
MA-PWR-100WAC	Replacement Power Adapter (100W) for MX68, MX68W, MX68CW
MA-PWR-100WAC-A	Replacement Power Adapter (100W) for MX75
MA-PWR-150WAC	Meraki MX105 Power Supply Unit (PSU)
MA-PWR-250WAC	Meraki MX250/MX450 Power Supply Unit (PSU)
MA-FAN-18K	Meraki 18K RPM System Fan for MX105, MX250 and MX450
MA-ANT-MX	One pair of external dual-band dipole antennas (connector type: RP-SMA) for MX67W, or MX68W

#### **Power cables**

1x power cable required for each MX; 2x power cables required for MX105, MX250, and MX450. For U.S. customers, all required power cables will be automatically included. Customers outside the U.S. are required to order power cords separately.

#### SKU

MA-PWR-CORD-US MA-PWR-CORD-EU MA-PWR-CORD-EU MA-PWR-CORD-AU





# **MX** specifications

#### Management

Managed via the web using the Cisco Meraki dashboard

Single dashboard management of wired and wireless networks

Zero-touch remote deployment (no staging needed)

Automatic firmware upgrades and security patches

Template-based multi-network management

Org-level two-factor authentication and single sign-on

Role-based administration with change logging and alerts

#### Monitoring and reporting

Throughput, connectivity monitoring, and email alerts

Detailed historical per-port and per-client usage statistics

Application usage statistics

Org-level change logs for compliance and change management

VPN tunnel and latency monitoring

Network asset discovery and user identification

Periodic emails with key utilization metrics

Device performance and utilization reporting

Netflow support

Syslog integration

#### Management

Live remote packet capture

Real-time diagnostic and troubleshooting tools

Aggregated event logs with instant search

#### Network and firewall services

NGFW, 1:1 NAT, DMZ

Identity-based policies

Auto VPN: automated site-to-site (IPsec) VPN for hub-and-spoke or mesh topologies

Client (IPsec L2TP) VPN

Multiple WAN IP, PPPoE, NAT

VLAN support and DHCP services

Static routing

User and device quarantine

#### **WAN** performance management

WAN link aggregation

Automatic layer 3 failover (including VPN connections)

3G/4G USB modem failover or single uplink

Application-level (layer 7) traffic analysis and shaping

Ability to choose WAN uplink based on traffic type

SD-WAN: dual-active VPN with policy-based routing and dynamic path selection

Cat 6 LTE modem for failover or single uplink1

1 MX67C and MX68CW only

# **MX** specifications

#### Advanced security services1

Content filtering (Webroot BrightCloud CIPA-compliant URL database)

Web-search filtering (including Google/Bing SafeSearch)

YouTube for Schools

Intrusion-prevention sensor (Cisco SNORT®-based)

Cisco Advanced Malware Protection (AMP)

AMP Threat Grid<sup>2</sup>

<sup>1</sup>Advanced security services require Advanced Security license

# Integrated wireless (MX67W, MX68W, MX68CW)

1× 802.11a/n/ac (5 GHz) radio

1× 802.11b/g/n (2.4 GHz) radio

Max data rate 1.3 Gbps aggregate (MX67W, MX68W, MX68CW)

2×2 MU-MIMO with two spatial streams (MX67W, MX68W, MX68CW)

2× external dual-band dipole antennas (connector type: RP-SMA)

Antenna gain: 3.0 dBi @ 2.4 GHz, 3.5 dBi @ 5 GHz

WEP, WPA, WPA2-PSK, WPA2-Enterprise with 802.1X authentication

FCC (U.S.): 2.412-2.462 GHz, 5.150-5.250 GHz (UNII-1), 5.250-5.350 GHz (UNII-2), 5.470-5.725 GHz (UNII-2e), 5.725 -5.825 GHz (UNII-3)

CE (Europe): 2.412-2.484 GHz, 5.150-5.250 GHz (UNII-1), 5.250-5.350 GHz (UNII-2) 5.470-5.600 GHz, 5.660-5.725 GHz (UNII-2e)

Additional regulatory information: IC (Canada), C-Tick (Australia/New Zealand), RoHS

#### Integrated cellular (MX67C and MX68CW only)

LTE bands: 2, 4, 5, 12, 13, 17, and 19 (North America). 1, 3, 5, 7, 8, 20, 26, 28A, 28B, 34, 38, 39, 40, and 41 (worldwide).

300 Mbps Cat 6 LTE

Additional regulatory information: PTCRB (North America), RCM (ANZ, APAC), GCF (EU)

# Power over Ethernet (MX68, MX68W, MX68CW)

2× PoE+ (802.3at) LAN ports

30 W maximum per port

#### Regulatory

FCC (U.S.)

CB (IEC)

CISPR (Australia/New Zealand)

PTCRB (North America)

RCM (Australia/New Zealand, Asia Pacific)

GCF (EU)

#### Warranty

Full lifetime hardware warranty with next-day advanced replacement included.

<sup>&</sup>lt;sup>2</sup>Threat Grid services require additional sample pack licensing

Model	License	Description
MX67-HW	LIC-MX67-ENT-1Y LIC-MX67-ENT-3Y LIC-MX67-ENT-5Y LIC-MX67-ENT-7Y	Cisco Meraki MX67, 1-year Enterprise License and Support Cisco Meraki MX67, 3-year Enterprise License and Support Cisco Meraki MX67, 5-year Enterprise License and Support Cisco Meraki MX67, 7-year Enterprise License and Support
	LIC-MX67-SEC-1Y LIC-MX67-SEC-3Y LIC-MX67-SEC-5Y LIC-MX67-SEC-7Y	Cisco Meraki MX67, 1-year Advanced Security License and Support Cisco Meraki MX67, 3-year Advanced Security License and Support Cisco Meraki MX67, 5-year Advanced Security License and Support Cisco Meraki MX67, 7-year Advanced Security License and Support
	LIC-MX67-SDW-1Y LIC-MX67-SDW-3Y LIC-MX67-SDW-5Y LIC-MX67-SDW-7Y	Cisco Meraki MX67, 1-year Secure SD-WAN Plus License and Support Cisco Meraki MX67, 3-year Secure SD-WAN Plus License and Support Cisco Meraki MX67, 5-year Secure SD-WAN Plus License and Support Cisco Meraki MX67, 7-year Secure SD-WAN Plus License and Support
MX67W-HW	LIC-MX67W-ENT-1Y LIC-MX67W-ENT-3Y LIC-MX67W-ENT-5Y LIC-MX67W-ENT-7Y	Cisco Meraki MX67W, 1-year Enterprise License and Support Cisco Meraki MX67W, 3-year Enterprise License and Support Cisco Meraki MX67W, 5-year Enterprise License and Support Cisco Meraki MX67W, 7-year Enterprise License and Support
	LIC-MX67W-SEC-1Y LIC-MX67W-SEC-3Y LIC-MX67W-SEC-5Y LIC-MX67W-SEC-7Y	Cisco Meraki MX67W, 1-year Advanced Security License and Support Cisco Meraki MX67W, 3-year Advanced Security License and Support Cisco Meraki MX67W, 5-year Advanced Security License and Support Cisco Meraki MX67W, 7-year Advanced Security License and Support
	LIC-MX67W-SDW-1Y LIC-MX67W-SDW-3Y LIC-MX67W-SDW-5Y LIC-MX67W-SDW-7Y	Cisco Meraki MX67W, 1-year Secure SD-WAN Plus License and Support Cisco Meraki MX67W, 3-year Secure SD-WAN Plus License and Support Cisco Meraki MX67W, 5-year Secure SD-WAN Plus License and Support Cisco Meraki MX67W, 7-year Secure SD-WAN Plus License and Support
MX67C-HW-NA (North America) MX67C-HW-WW (worldwide)	LIC-MX67C-ENT-1Y LIC-MX67C-ENT-3Y LIC-MX67C-ENT-5Y LIC-MX67C-ENT-7Y	Cisco Meraki MX67C, 1-year Enterprise License and Support Cisco Meraki MX67C, 3-year Enterprise License and Support Cisco Meraki MX67C, 5-year Enterprise License and Support Cisco Meraki MX67C, 7-year Enterprise License and Support
(worldwide)	LIC-MX67C-SEC-1Y LIC-MX67C-SEC-3Y LIC-MX67C-SEC-5Y LIC-MX67C-SEC-7Y	Cisco Meraki MX67C, 1-year Advanced Security License and Support Cisco Meraki MX67C, 3-year Advanced Security License and Support Cisco Meraki MX67C, 5-year Advanced Security License and Support Cisco Meraki MX67C, 7-year Advanced Security License and Support
	LIC-MX67C-SDW-1Y LIC-MX67C-SDW-3Y LIC-MX67C-SDW-5Y LIC-MX67C-SDW-7Y	Cisco Meraki MX67C, 1-year Secure SD-WAN Plus License and Support Cisco Meraki MX67C, 3-year Secure SD-WAN Plus License and Support Cisco Meraki MX67C, 5-year Secure SD-WAN Plus License and Support Cisco Meraki MX67C, 7-year Secure SD-WAN Plus License and Support

Model	License	Description
MX68-HW	LIC-MX68-ENT-1Y LIC-MX68-ENT-3Y LIC-MX68-ENT-5Y LIC-MX68-ENT-7Y	Cisco Meraki MX68, 1-year Enterprise License and Support Cisco Meraki MX68, 3-year Enterprise License and Support Cisco Meraki MX68, 5-year Enterprise License and Support Cisco Meraki MX68, 7-year Enterprise License and Support
	LIC-MX68-SEC-1Y LIC-MX68-SEC-3Y LIC-MX68-SEC-5Y LIC-MX68-SEC-7Y	Cisco Meraki MX68, 1-year Advanced Security License and Support Cisco Meraki MX68, 3-year Advanced Security License and Support Cisco Meraki MX68, 5-year Advanced Security License and Support Cisco Meraki MX68, 7-year Advanced Security License and Support
	LIC-MX68-SDW-1Y LIC-MX68-SDW-3Y LIC-MX68-SDW-5Y LIC-MX68-SDW-7Y	Cisco Meraki MX68, 1-year Secure SD-WAN Plus License and Support Cisco Meraki MX68, 3-year Secure SD-WAN Plus License and Support Cisco Meraki MX68, 5-year Secure SD-WAN Plus License and Support Cisco Meraki MX68, 7-year Secure SD-WAN Plus License and Support
MX68W-HW	LIC-MX68W-ENT-1Y LIC-MX68W-ENT-3Y LIC-MX68W-ENT-5Y LIC-MX68W-ENT-7Y	Cisco Meraki MX68W, 1-year Enterprise License and Support Cisco Meraki MX68W, 3-year Enterprise License and Support Cisco Meraki MX68W, 5-year Enterprise License and Support Cisco Meraki MX68W, 7-year Enterprise License and Support
	LIC-MX68W-SEC-1Y LIC-MX68W-SEC-3Y LIC-MX68W-SEC-5Y LIC-MX68W-SEC-7Y	Cisco Meraki MX68W, 1-year Advanced Security License and Support Cisco Meraki MX68W, 3-year Advanced Security License and Support Cisco Meraki MX68W, 5-year Advanced Security License and Support Cisco Meraki MX68W, 7-year Advanced Security License and Support
	LIC-MX68W-SDW-1Y LIC-MX68W-SDW-3Y LIC-MX68W-SDW-5Y LIC-MX68W-SDW-7Y	Cisco Meraki MX68W, 1-year Secure SD-WAN Plus License and Support Cisco Meraki MX68W, 3-year Secure SD-WAN Plus License and Support Cisco Meraki MX68W, 5-year Secure SD-WAN Plus License and Support Cisco Meraki MX68W, 7-year Secure SD-WAN Plus License and Support
(North America) LIC-MX68CW-ENT-3Y Cisco Meraki MX68CW, 3-year Ente LIC-MX68CW-ENT-5Y Cisco Meraki MX68CW, 5-year Ente		Cisco Meraki MX68CW, 1-year Enterprise License and Support Cisco Meraki MX68CW, 3-year Enterprise License and Support Cisco Meraki MX68CW, 5-year Enterprise License and Support Cisco Meraki MX68CW, 7-year Enterprise License and Support
(worldwide)	LIC-MX68CW-SEC-1Y LIC-MX68CW-SEC-3Y LIC-MX68CW-SEC-5Y LIC-MX68CW-SEC-7Y	Cisco Meraki MX68CW, 1-year Advanced Security License and Support Cisco Meraki MX68CW, 3-year Advanced Security License and Support Cisco Meraki MX68CW, 5-year Advanced Security License and Support Cisco Meraki MX68CW, 7-year Advanced Security License and Support
	LIC-MX68CW-SDW-1Y LIC-MX68CW-SDW-3Y LIC-MX68CW-SDW-5Y LIC-MX68CW-SDW-7Y	Cisco Meraki MX68CW, 1-year Secure SD-WAN Plus License and Support Cisco Meraki MX68CW, 3-year Secure SD-WAN Plus License and Support Cisco Meraki MX68CW, 5-year Secure SD-WAN Plus License and Support Cisco Meraki MX68CW, 7-year Secure SD-WAN Plus License and Support

Model	License	Description
MX75-HW	LIC-MX75-ENT-1Y LIC-MX75-ENT-3Y LIC-MX75-ENT-5Y	Cisco Meraki MX75, 1-year Enterprise License and Support Cisco Meraki MX75, 3-year Enterprise License and Support Cisco Meraki MX75, 5-year Enterprise License and Support
	LIC-MX75-SEC-1Y LIC-MX75-SEC-3Y LIC-MX75-SEC-5Y	Cisco Meraki MX75, 1-year Advanced Security License and Support Cisco Meraki MX75, 3-year Advanced Security License and Support Cisco Meraki MX75, 5-year Advanced Security License and Support
	LIC-MX75-SDW-1Y LIC-MX75-SDW-3Y LIC-MX75-SDW-5Y	Cisco Meraki MX75, 1-year Secure SD-WAN Plus License and Support Cisco Meraki MX75, 3-year Secure SD-WAN Plus License and Support Cisco Meraki MX75, 5-year Secure SD-WAN Plus License and Support
MX85-HW	LIC-MX85-ENT-1Y LIC-MX85-ENT-3Y LIC-MX85-ENT-5Y	Cisco Meraki MX85, 1-year Enterprise License and Support Cisco Meraki MX85, 3-year Enterprise License and Support Cisco Meraki MX85, 5-year Enterprise License and Support
	LIC-MX85-SEC-1Y LIC-MX85-SEC-3Y LIC-MX85-SEC-5Y	Cisco Meraki MX85, 1-year Advanced Security License and Support Cisco Meraki MX85, 3-year Advanced Security License and Support Cisco Meraki MX85, 5-year Advanced Security License and Support
	LIC-MX85-SDW-1Y LIC-MX85-SDW-3Y LIC-MX85-SDW-5Y	Cisco Meraki MX85, 1-year Secure SD-WAN Plus License and Support Cisco Meraki MX85, 3-year Secure SD-WAN Plus License and Support Cisco Meraki MX85, 5-year Secure SD-WAN Plus License and Support
MX95-HW	LIC-MX95-ENT-1Y LIC-MX95-ENT-3Y LIC-MX95-ENT-5Y	Cisco Meraki MX95, 1-year Enterprise License and Support Cisco Meraki MX95, 3-year Enterprise License and Support Cisco Meraki MX95, 5-year Enterprise License and Support
	LIC-MX95-SEC-1Y LIC-MX95-SEC-3Y LIC-MX95-SEC-5Y	Cisco Meraki MX95, 1-year Advanced Security License and Support Cisco Meraki MX95, 3-year Advanced Security License and Support Cisco Meraki MX95, 5-year Advanced Security License and Support
	LIC-MX95-SDW-1Y LIC-MX95-SDW-3Y LIC-MX95-SDW-5Y	Cisco Meraki MX95, 1-year Secure SD-WAN Plus License and Support Cisco Meraki MX95, 3-year Secure SD-WAN Plus License and Support Cisco Meraki MX95, 5-year Secure SD-WAN Plus License and Support
MX105-HW	LIC-MX105-ENT-1Y LIC-MX105-ENT-3Y LIC-MX105-ENT-5Y	Cisco Meraki MX105, 1-year Enterprise License and Support Cisco Meraki MX105, 3-year Enterprise License and Support Cisco Meraki MX105, 5-year Enterprise License and Support
	LIC-MX105-SEC-1Y LIC-MX105-SEC-3Y LIC-MX105-SEC-5Y	Cisco Meraki MX105, 1-year Advanced Security License and Support Cisco Meraki MX105, 3-year Advanced Security License and Support Cisco Meraki MX105, 5-year Advanced Security License and Support
	LIC-MX105-SDW-1Y LIC-MX105-SDW-3Y LIC-MX105-SDW-5Y	Cisco Meraki MX105, 1-year Secure SD-WAN Plus License and Support Cisco Meraki MX105, 3-year Secure SD-WAN Plus License and Support Cisco Meraki MX105, 5-year Secure SD-WAN Plus License and Support

Model	License	Description
MX250-HW	LIC-MX250-ENT-1Y	Cisco Meraki MX250, 1-year Enterprise License and Support
	LIC-MX250-ENT-3Y	Cisco Meraki MX250, 3-year Enterprise License and Support
	LIC-MX250-ENT-5Y	Cisco Meraki MX250, 5-year Enterprise License and Support
	LIC-MX250-ENT-7Y	Cisco Meraki MX250, 7-year Enterprise License and Support
	LIC-MX250-SEC-1Y	Cisco Meraki MX250, 1-year Advanced Security License and Support
	LIC-MX250-SEC-3Y	Cisco Meraki MX250, 3-year Advanced Security License and Support
	LIC-MX250-SEC-5Y	Cisco Meraki MX250, 5-year Advanced Security License and Support
	LIC-MX250-SEC-7Y	Cisco Meraki MX250, 7-year Advanced Security License and Support
	LIC-MX250-SDW-1Y	Cisco Meraki MX250, 1-year Secure SD-WAN Plus License and Support
	LIC-MX250-SDW-3Y	Cisco Meraki MX250, 3-year Secure SD-WAN Plus License and Support
	LIC-MX250-SDW-5Y	Cisco Meraki MX250, 5-year Secure SD-WAN Plus License and Support
	LIC-MX250-SDW-7Y	Cisco Meraki MX250, 7-year Secure SD-WAN Plus License and Support
MX450-HW	LIC-MX450-ENT-1Y	Cisco Meraki MX450, 1-year Enterprise License and Support
	LIC-MX450-ENT-3Y	Cisco Meraki MX450, 3-year Enterprise License and Support
	LIC-MX450-ENT-5Y	Cisco Meraki MX450, 5-year Enterprise License and Support
	LIC-MX450-ENT-7Y	Cisco Meraki MX450, 7-year Enterprise License and Support
	LIC-MX450-SEC-1Y	Cisco Meraki MX450, 1-year Advanced Security License and Support
	LIC-MX450-SEC-3Y	Cisco Meraki MX450, 3-year Advanced Security License and Support
	LIC-MX450-SEC-5Y	Cisco Meraki MX450, 5-year Advanced Security License and Support
	LIC-MX450-SEC-7Y	Cisco Meraki MX450, 7-year Advanced Security License and Support
	LIC-MX450-SDW-1Y	Cisco Meraki MX450, 1-year Secure SD-WAN Plus License and Support
	LIC-MX450-SDW-3Y	Cisco Meraki MX450, 3-year Secure SD-WAN Plus License and Support
	LIC-MX450-SDW-5Y	Cisco Meraki MX450, 5-year Secure SD-WAN Plus License and Support
	LIC-MX450-SDW-7Y	Cisco Meraki MX450, 7-year Secure SD-WAN Plus License and Support

vMX	LIC-VMX-S-ENT-1Y	Cisco Meraki Small vMX, 1-year License and Support
	LIC-VMX-S-ENT-3Y	Cisco Meraki Small vMX, 3-year License and Support
	LIC-VMX-S-ENT-5Y	Cisco Meraki Small vMX, 5-year License and Support
	LIC-VMX-S-SEC-1Y	Cisco Meraki Small vMX Advanced Security, 1-year License and Support
	LIC-VMX-S-SEC-3Y	Cisco Meraki Small vMX Advanced Security, 3-year License and Support
	LIC-VMX-S-SEC-5Y	Cisco Meraki Small vMX Advanced Security, 5-year License and Support
	LIC-VMX-M-ENT-1Y	Cisco Meraki Medium vMX, 1-year License and Support
	LIC-VMX-M-ENT-3Y	Cisco Meraki Medium vMX, 3-year License and Support
	LIC-VMX-M-ENT-5Y	Cisco Meraki Medium vMX, 5-year License and Support
	LIC-VMX-M-SEC-1Y	Cisco Meraki Medium vMX Advanced Security, 1-year License and Support
	LIC-VMX-M-SEC-3Y	Cisco Meraki Medium vMX Advanced Security, 3-year License and Support
	LIC-VMX-M-SEC-5Y	Cisco Meraki Medium vMX Advanced Security, 5-year License and Support
	LIC-VMX-L-ENT-1Y	Cisco Meraki Large vMX, 1-year License and Support
	LIC-VMX-L-ENT-3Y	Cisco Meraki Large vMX, 3-year License and Support
	LIC-VMX-L-ENT-5Y	Cisco Meraki Large vMX, 5-year License and Support
	LIC-VMX-L-SEC-1Y	Cisco Meraki vMX Large Advanced Security, 1-year License and Support
	LIC-VMX-L-SEC-3Y	Cisco Meraki vMX Large Advanced Security, 3-year License and Support
	LIC-VMX-L-SEC-5Y	Cisco Meraki vMX Large Advanced Security, 5-year License and Support
	LIC-VMX-XL-ENT-1Y	Cisco Meraki X-Large vMX, 1-year License and Support
	LIC-VMX-XL-ENT-3Y	Cisco Meraki X-Large vMX, 3-year License and Support
	LIC-VMX-XL-ENT-5Y	Cisco Meraki X-Large vMX, 5-year License and Support

